

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
FINDING CAUSE OF A SORE THROAT	1996	83.4(1.6)	81.2(1.9)	85.6(1.9)	86.2(1.8)	71.9(3.0)	80.1(3.5)
	1994	81.8(1.2)	78.8(1.8)	84.6(1.1)	84.8(1.0)	70.5(4.5)	79.2(3.1)
	1992	80.0(1.2)	75.2(1.5)	85.2(1.4)	83.0(1.1)	72.0(3.2)	70.0(6.0)
	1990	80.8(1.1)	76.5(1.5)	84.9(1.6)	83.6(1.3)	71.8(3.7)	69.8(3.0)
	1986	78.6(1.7)	73.6(2.2)	83.6(1.5)	80.3(2.2)	71.7(2.6)	71.6(3.8)
	1982	74.7(2.0)	71.9(2.6)	77.3(2.1)	76.0(2.1)	70.2(4.0)	65.6(4.4)
	1977	75.0(1.3)	73.0(1.8)	77.1(1.5)	76.1(1.4)	73.2(2.2)	65.2(5.1)
PLANTS BEND TOWARD LIGHT	1996	61.5(1.7)	66.7(1.8)	56.6(2.2)	67.7(1.9)	44.0(3.8)	43.3(4.3)
	1994	61.7(1.7)	66.0(2.0)	57.7(1.8)	68.2(1.9)	40.2(3.3)	48.8(3.5)
	1992	62.5(1.8)	65.4(2.3)	59.5(2.1)	67.3(1.9)	45.4(4.2)	52.8(4.8)
	1990	61.0(1.4)	62.5(1.4)	59.5(2.0)	66.6(1.5)	41.0(4.0)	47.2(3.7)
	1986	54.5(2.9)	55.5(2.0)	53.6(4.3)	58.7(3.3)	38.7(3.5)	42.9(4.9)
	1982	55.4(1.7)	56.8(1.9)	54.1(2.3)	60.0(1.9)	36.1(3.5)	38.0(5.2)
	1977	53.3(1.8)	54.8(2.1)	51.7(2.3)	58.1(2.0)	29.3(2.6)	39.7(4.6)
DOG RELATED TO WOLF	1996	94.0(1.1)	96.3(0.8)	92.0(1.7)	95.4(1.3)	87.4(2.1)	93.7(2.2)
	1994	93.6(0.8)	94.9(1.0)	92.4(1.0)	96.6(0.6)	85.1(3.3)	86.5(2.1)
	1992	95.0(0.6)	96.5(0.5)	93.3(0.9)	97.5(0.4)	85.5(2.3)	91.2(2.9)
	1990	94.4(0.6)	96.2(0.6)	92.7(1.0)	96.1(0.6)	88.1(1.9)	91.8(2.4)
	1986	95.7(0.6)	96.6(0.6)	94.8(0.9)	97.3(0.7)	89.8(1.4)	91.7(1.9)
	1977	94.0(0.7)	94.8(0.7)	93.1(0.9)	95.7(0.6)	85.9(2.4)	88.7(2.0)
OBSERVING A SEALED AQUARIUM	1996	66.2(1.7)	65.5(1.6)	66.8(2.4)	67.4(1.7)	63.2(4.5)	59.7(3.9)
	1994	62.8(1.2)	62.4(1.6)	63.2(1.7)	66.5(1.6)	50.0(3.0)	54.3(4.3)
	1992	63.6(1.2)	66.2(1.6)	60.9(1.9)	65.2(1.4)	56.9(3.3)	57.0(2.8)
	1990	64.9(1.3)	67.5(1.6)	62.3(1.5)	67.9(1.4)	55.7(3.2)	50.8(3.5)
	1986	62.8(1.7)	64.9(2.1)	60.7(2.1)	63.1(2.0)	60.9(3.9)	62.0(2.6)
	1982	70.4(1.1)	72.7(1.3)	68.3(1.7)	71.2(1.2)	67.2(2.3)	66.5(5.6)
	1977	73.7(1.0)	72.7(1.7)	74.5(1.4)	75.2(1.1)	65.0(2.8)	69.2(3.0)
MUSEUM: HABITATS	1996	87.1(1.3)	85.5(1.5)	88.5(1.6)	88.3(1.5)	80.5(2.8)	86.6(3.0)
	1994	86.7(1.0)	84.3(1.6)	89.0(1.2)	90.4(1.0)	73.2(4.2)	79.6(3.2)
	1992	87.9(1.0)	85.4(1.5)	90.7(1.2)	90.4(0.9)	78.7(2.6)	84.9(3.6)
	1990	85.4(1.0)	83.1(1.6)	87.7(1.0)	86.2(1.2)	85.3(2.4)	80.3(3.2)
	1986	82.2(0.9)	81.8(1.3)	82.6(1.5)	83.7(1.1)	76.9(2.1)	73.7(5.0)
	1977	80.8(1.2)	77.0(1.5)	84.6(1.5)	84.0(0.9)	67.4(3.3)	62.2(5.8)
MUSEUM: SIMILAR ANIMALS	1996	59.7(1.5)	63.7(1.7)	55.9(2.2)	63.3(1.8)	44.8(3.1)	56.0(3.6)
	1994	61.1(1.4)	62.6(2.2)	59.5(1.6)	64.6(1.5)	47.6(4.0)	56.7(4.0)
	1992	62.4(1.5)	60.4(2.2)	64.4(1.6)	64.7(1.7)	46.5(3.4)	74.0(3.2)
	1990	64.3(1.5)	62.3(1.9)	66.3(1.8)	67.4(1.6)	54.7(3.1)	53.7(4.1)
	1986	59.1(1.7)	60.2(2.3)	58.1(2.7)	62.4(2.1)	45.6(2.6)	52.0(3.1)
	1977	58.8(1.9)	57.7(2.3)	59.8(2.1)	61.6(1.9)	45.0(2.6)	46.5(7.1)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
SEE ATOM W/UNAIDED EYE?	1996	90.6(1.2)	93.3(1.0)	88.1(1.8)	93.1(1.5)	81.6(2.8)	85.7(3.0)
	1994	90.4(1.1)	91.1(1.4)	89.6(1.4)	94.8(0.6)	74.3(5.8)	84.2(3.2)
	1992	92.4(0.7)	93.1(0.9)	91.7(0.8)	94.9(0.6)	82.8(2.3)	89.1(3.3)
	1990	91.9(0.7)	92.8(0.9)	91.0(1.0)	94.9(0.8)	82.9(2.1)	81.9(3.6)
	1986	91.4(1.1)	93.1(1.3)	89.7(1.4)	94.3(1.0)	81.6(2.5)	79.6(4.3)
	1977	91.4(0.9)	92.5(1.0)	90.3(1.2)	93.3(1.0)	81.9(2.6)	90.7(2.9)
SEE ATOM W/MAGNIFYING GLASS?	1996	71.4(2.2)	76.7(2.0)	66.4(3.1)	77.8(2.4)	46.4(5.1)	57.7(4.5)
	1994	72.3(1.5)	76.1(2.0)	68.5(2.1)	79.6(1.2)	47.3(4.7)	56.3(3.9)
	1992	74.2(1.2)	77.7(1.6)	70.5(1.5)	81.2(1.4)	47.0(4.3)	58.7(4.1)
	1990	71.4(1.5)	76.8(1.6)	66.3(2.1)	79.6(1.3)	40.9(4.8)	56.0(5.6)
	1986	72.8(1.7)	77.7(1.4)	68.0(3.2)	79.6(1.7)	46.7(3.8)	47.8(3.8)
	1977	75.6(1.4)	78.5(1.5)	72.6(1.9)	80.9(1.4)	47.6(4.2)	60.3(5.4)
SEE ATOM W/MICROSCOPE?	1996	53.9(1.9)	58.6(2.0)	49.5(2.4)	58.3(2.3)	39.1(3.1)	38.6(5.9)
	1994	55.9(1.2)	59.9(2.0)	52.0(1.9)	62.4(1.2)	32.4(2.8)	44.3(3.7)
	1992	54.0(1.4)	57.7(2.2)	50.0(1.7)	59.3(1.7)	34.7(3.0)	40.4(4.8)
	1990	53.9(1.3)	58.4(1.7)	49.5(1.8)	59.4(1.3)	33.8(3.8)	42.4(3.1)
	1986	56.8(1.7)	60.8(1.8)	52.8(2.1)	61.1(1.8)	39.8(2.7)	43.5(6.0)
	1977	63.5(1.5)	67.1(2.0)	59.8(1.6)	66.4(1.8)	50.5(3.9)	53.8(7.1)
HEATING 2 PANS: HEATS FASTEST	1996	69.9(1.6)	71.1(1.8)	68.8(2.4)	77.0(1.5)	47.1(3.5)	51.6(4.6)
	1994	73.7(1.2)	76.6(2.1)	70.9(1.6)	80.3(1.2)	52.5(4.1)	60.4(2.5)
	1992	73.2(1.3)	75.3(1.9)	71.0(1.7)	78.7(1.4)	51.8(3.7)	64.3(4.4)
	1990	72.1(1.1)	78.4(1.5)	66.1(1.9)	77.5(1.2)	55.5(2.7)	53.0(3.8)
	1986	72.5(1.8)	75.9(1.7)	69.0(2.4)	77.1(1.8)	54.5(3.3)	54.8(5.0)
	1982	75.3(1.5)	79.1(1.6)	71.9(2.2)	79.6(1.4)	54.8(3.7)	65.9(5.2)
	1977	76.1(1.5)	79.7(1.8)	72.7(2.1)	81.8(1.4)	49.5(3.9)	53.8(4.6)
HEATING 2 PANS: HEATS MOST	1996	40.5(1.9)	40.8(1.8)	40.3(2.7)	39.2(2.2)	43.6(3.2)	42.7(3.1)
	1994	40.6(1.0)	40.2(1.3)	41.1(1.5)	40.7(1.3)	45.1(2.3)	32.7(3.6)
	1992	39.5(1.3)	40.7(1.8)	38.2(1.8)	39.3(1.5)	42.0(2.6)	31.4(3.5)
	1990	37.3(1.0)	35.7(1.5)	38.9(1.5)	36.9(1.2)	38.7(3.4)	40.0(3.8)
	1986	38.9(0.9)	38.8(1.8)	38.9(1.6)	37.6(1.1)	44.9(3.1)	40.9(4.6)
	1982	40.7(1.4)	37.9(2.3)	43.3(1.5)	41.5(1.5)	40.4(3.9)	33.5(2.5)
	1977	36.9(0.9)	37.1(1.4)	36.8(1.6)	37.3(1.1)	38.2(2.0)	27.5(4.8)
HEATING 2 PANS: COOLS FASTEST	1996	65.9(1.5)	61.0(1.8)	70.4(1.7)	66.3(1.5)	66.5(3.7)	60.8(4.0)
	1994	63.2(1.1)	57.7(1.7)	68.5(1.5)	65.6(1.1)	58.4(3.2)	54.7(3.2)
	1992	65.0(1.1)	62.6(1.6)	67.7(1.5)	66.7(1.3)	61.8(3.2)	54.0(5.5)
	1990	62.7(1.2)	57.4(2.0)	67.7(1.4)	64.1(1.3)	55.0(2.8)	62.6(2.8)
	1986	65.8(1.6)	63.5(2.3)	68.2(1.8)	66.7(2.2)	61.8(2.4)	63.4(3.0)
	1982	69.1(1.2)	64.4(1.7)	73.5(1.3)	71.4(1.4)	59.0(3.5)	62.0(3.7)
	1977	69.4(1.0)	66.7(1.6)	72.0(1.2)	70.8(1.0)	65.0(3.3)	58.5(2.6)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
TISSUES AND CELLS	1996	53.0(1.6)	54.4(2.3)	51.6(1.7)	55.8(1.6)	43.5(3.9)	43.6(4.9)
	1994	61.6(1.5)	62.6(1.8)	60.7(1.8)	65.0(1.6)	55.9(2.7)	43.5(4.4)
	1992	55.3(1.6)	56.8(2.0)	53.7(2.0)	58.2(1.7)	45.2(3.2)	48.5(4.4)
	1990	56.8(1.5)	57.1(1.7)	56.5(2.0)	58.5(1.9)	50.3(2.6)	52.3(5.5)
	1986	56.6(1.8)	57.2(2.2)	56.1(2.2)	58.1(2.1)	51.2(2.7)	50.9(4.1)
	1982	51.1(1.8)	52.9(2.0)	49.4(2.1)	52.9(2.1)	42.5(4.4)	43.2(6.9)
	1977	52.5(1.5)	51.1(2.3)	54.0(1.6)	53.9(1.5)	42.9(3.7)	56.0(6.1)
MELTING CRUSHED ICE	1996	39.1(1.8)	45.2(2.1)	33.3(2.1)	45.0(2.2)	17.2(2.0)	26.7(2.8)
	1994	41.8(1.7)	45.5(2.4)	38.1(2.0)	48.7(1.6)	17.2(2.3)	27.6(3.9)
	1992	42.3(1.2)	46.0(1.7)	38.4(1.7)	47.9(1.4)	18.7(2.3)	35.9(3.2)
	1990	44.0(1.1)	47.5(1.7)	40.6(1.5)	47.5(1.4)	30.1(2.5)	38.0(4.2)
	1986	39.6(1.6)	45.0(1.7)	34.2(2.6)	43.8(1.9)	21.0(3.3)	25.2(5.5)
	1982	44.6(1.7)	51.4(2.3)	38.3(1.8)	47.5(2.0)	28.8(3.1)	37.7(4.1)
	1977	52.2(1.9)	56.8(2.1)	47.9(2.5)	56.5(1.8)	28.7(2.5)	43.7(3.3)
FUNCTION OF RED BLOOD CELLS	1996	56.1(1.8)	62.8(2.1)	49.7(2.2)	57.2(2.3)	53.3(3.0)	51.9(4.2)
	1994	55.5(1.6)	58.5(1.8)	52.6(2.0)	58.8(1.9)	43.0(3.3)	52.5(4.1)
	1992	55.7(1.3)	59.2(1.6)	52.0(2.3)	57.5(1.5)	45.6(4.4)	57.6(4.7)
	1990	58.5(1.2)	63.1(1.2)	54.2(1.8)	60.2(1.5)	57.9(3.2)	47.0(4.7)
	1986	58.0(2.0)	60.8(2.7)	55.2(1.9)	58.5(2.2)	59.8(3.2)	50.4(4.2)
	1982	57.7(1.3)	59.4(1.9)	56.1(2.2)	58.8(1.7)	54.8(2.9)	46.1(3.5)
	1977	54.2(1.6)	55.5(2.0)	52.8(1.8)	55.3(1.7)	51.6(2.6)	39.1(4.7)
HOW TO RECOVER SALT FROM WATER	1996	40.8(1.6)	46.0(2.1)	35.9(2.0)	43.6(1.9)	31.4(3.2)	37.7(2.4)
	1994	43.6(1.3)	46.9(1.5)	40.3(1.8)	46.0(1.4)	32.5(3.9)	40.0(3.3)
	1992	40.3(1.7)	41.5(2.2)	39.0(2.2)	42.4(1.9)	30.9(2.5)	34.7(5.2)
	1990	38.1(1.2)	41.4(1.7)	34.9(1.7)	39.6(1.3)	36.7(2.3)	29.8(4.1)
	1986	37.6(1.5)	43.1(2.3)	32.0(1.8)	40.3(1.6)	29.1(3.0)	23.2(3.0)
	1977	42.1(1.6)	48.5(1.9)	36.0(2.0)	44.2(1.9)	30.5(1.9)	36.8(4.9)
WATER TEMPERATURE FOR SWIMMING	1996	34.1(1.7)	39.3(2.2)	29.2(2.1)	36.4(2.1)	25.4(3.0)	24.4(2.9)
	1994	34.7(1.4)	41.2(1.7)	28.4(1.7)	38.5(2.0)	23.8(3.3)	22.2(3.3)
	1992	35.7(1.6)	40.8(1.9)	30.4(2.2)	39.0(1.8)	26.1(2.4)	20.4(4.4)
	1990	36.8(1.4)	41.8(1.7)	32.1(1.8)	40.4(1.7)	26.2(2.8)	25.4(4.5)
	1986	33.2(1.7)	37.3(2.7)	29.2(2.0)	34.8(2.0)	27.9(2.6)	25.1(4.0)
	1982	33.8(1.8)	38.0(2.4)	30.0(2.1)	35.7(2.2)	23.6(3.8)	31.4(4.9)
	1977	27.4(2.2)	32.2(2.2)	22.6(2.7)	29.9(2.4)	19.3(3.5)	9.6(2.6)
SULFUR DIOXIDE AND ACID RAIN	1996	53.9(2.0)	61.2(2.2)	46.9(2.4)	58.3(2.4)	39.2(3.4)	38.0(3.1)
	1994	55.1(1.7)	58.8(2.0)	51.6(2.1)	60.0(1.6)	40.4(5.0)	42.6(3.3)
	1992	59.2(1.6)	62.0(2.2)	56.1(2.0)	64.0(1.8)	39.6(3.5)	49.4(3.5)
	1990	53.7(1.5)	61.7(1.8)	46.0(1.8)	59.4(1.6)	34.6(3.1)	40.7(3.6)
	1986	56.1(1.7)	61.6(2.5)	50.6(3.4)	59.3(1.7)	42.7(4.0)	45.4(7.0)
	1982	35.2(1.7)	39.4(2.2)	31.4(1.5)	37.7(1.9)	21.6(3.5)	32.0(6.6)
	1977	19.9(1.3)	23.6(2.2)	16.4(1.5)	20.6(1.6)	17.6(1.7)	15.3(3.4)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
WATER IS PART OF ALL CELLS	1996	51.0(1.9)	54.2(2.0)	48.0(2.5)	51.4(2.4)	50.9(4.3)	46.6(3.3)
	1994	47.8(1.2)	50.6(1.8)	44.9(1.8)	49.8(1.4)	43.0(2.4)	44.3(4.9)
	1992	43.2(1.3)	43.6(1.8)	42.8(2.0)	44.5(1.5)	41.6(2.4)	30.1(4.7)
	1990	49.8(1.3)	50.6(1.6)	49.0(2.0)	50.1(1.5)	52.1(4.4)	46.8(4.3)
	1986	47.2(2.7)	47.4(3.3)	46.9(2.8)	48.0(3.4)	48.0(2.6)	36.4(3.4)
	1977	34.1(1.5)	35.6(1.5)	32.6(2.2)	33.3(1.8)	37.3(2.6)	37.5(3.7)
WOLVES AND CARIBOU	1996	48.9(1.8)	54.2(2.1)	43.9(2.4)	54.1(2.0)	31.4(3.7)	32.5(4.5)
	1994	49.7(1.5)	54.5(2.0)	45.1(1.8)	57.4(1.5)	27.3(3.6)	29.1(2.3)
	1992	47.6(1.6)	51.5(2.0)	43.5(2.3)	53.2(2.0)	27.8(2.6)	32.7(3.5)
	1990	43.9(1.3)	48.5(1.6)	39.5(1.8)	49.6(1.7)	24.8(2.2)	30.4(4.1)
	1986	41.2(2.2)	46.6(1.6)	35.7(4.5)	45.0(2.5)	28.7(2.9)	25.3(4.3)
	1977	34.6(1.6)	39.4(1.7)	30.0(2.3)	38.4(1.7)	18.1(2.7)	22.0(3.2)
CELLS, TISSUES, ORGANS	1996	36.1(1.3)	38.6(2.0)	33.7(1.6)	39.6(1.8)	24.3(3.1)	27.4(3.0)
	1994	38.4(1.4)	37.6(2.0)	39.3(1.5)	42.4(1.3)	26.9(4.1)	26.3(3.5)
	1992	36.0(1.5)	34.8(1.5)	37.3(2.3)	38.4(1.7)	26.3(3.5)	30.7(4.7)
	1990	36.3(1.3)	36.7(1.8)	35.9(1.6)	39.0(1.4)	27.5(2.7)	22.4(3.5)
	1986	33.5(1.6)	32.8(1.9)	34.2(2.0)	35.0(1.9)	27.4(3.0)	29.1(3.7)
	1977	25.2(1.3)	25.1(1.9)	25.2(1.6)	26.6(1.4)	18.6(2.6)	19.3(5.1)
EFFECTS OF PEPSIN	1996	26.9(1.7)	29.1(2.0)	24.9(2.0)	29.0(1.9)	19.6(2.3)	25.2(3.1)
	1994	25.2(1.0)	28.8(1.5)	21.5(1.5)	27.0(1.0)	17.9(2.1)	21.6(5.3)
	1992	24.6(1.2)	27.8(1.3)	21.3(1.8)	26.6(1.5)	17.5(2.1)	18.1(4.3)
	1990	23.6(1.4)	26.0(1.8)	21.4(1.5)	25.5(1.8)	15.9(2.0)	18.5(1.9)
	1986	25.3(1.4)	30.2(1.8)	20.4(1.8)	26.9(1.7)	20.1(2.5)	21.2(2.2)
	1982	24.6(1.8)	29.8(2.2)	19.8(1.9)	25.2(2.1)	22.4(3.0)	14.2(4.6)
	1977	31.0(1.3)	32.7(1.6)	29.1(1.9)	32.3(1.6)	21.5(1.9)	30.6(4.1)
SEED GERMINATION	1996	15.5(1.3)	16.6(1.5)	14.5(1.6)	15.9(1.6)	15.7(2.5)	12.2(2.6)
	1994	15.7(0.8)	17.2(1.2)	14.2(1.2)	16.1(1.2)	14.0(1.6)	15.6(2.9)
	1992	15.8(1.2)	17.7(1.6)	13.7(1.1)	15.3(1.3)	19.7(2.1)	14.0(3.6)
	1990	15.7(0.9)	16.8(1.3)	14.6(1.3)	15.8(1.0)	14.1(2.6)	18.9(2.5)
	1986	17.6(1.4)	16.4(2.2)	18.8(1.5)	18.4(1.7)	13.9(1.7)	15.9(2.1)
	1982	21.0(1.3)	20.9(1.5)	21.1(1.5)	20.8(1.3)	22.9(3.1)	18.6(3.8)
	1977	21.0(1.3)	22.1(2.0)	20.0(1.2)	21.6(1.6)	21.2(3.2)	14.0(2.7)
EFFICIENT USE OF GRAIN AS FOOD	1996	18.0(1.2)	20.5(1.5)	15.7(1.4)	16.4(1.3)	25.0(3.1)	19.4(2.3)
	1994	20.0(0.8)	23.0(1.4)	17.0(1.3)	19.6(0.9)	19.3(2.3)	23.8(3.5)
	1992	18.0(0.9)	20.5(1.3)	15.3(1.4)	18.5(1.1)	16.0(1.7)	14.3(2.6)
	1990	19.7(0.9)	20.3(1.3)	19.2(1.1)	20.4(1.1)	16.6(2.3)	19.7(1.9)
	1986	22.3(1.3)	25.5(1.6)	19.1(1.9)	22.6(1.5)	21.1(2.6)	22.2(3.9)
	1982	18.4(1.2)	21.7(1.7)	15.2(1.6)	19.2(1.2)	14.5(3.6)	12.7(3.5)
	1977	21.9(0.9)	25.4(1.7)	18.5(1.2)	23.1(1.2)	18.1(2.0)	16.9(3.9)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
WORLD POPULATION GROWTH	1996	12.1(1.0)	14.8(1.4)	9.5(1.1)	13.6(1.2)	8.7(2.0)	7.2(1.9)
	1994	13.2(1.0)	15.6(1.8)	10.9(0.8)	14.9(1.2)	6.9(2.2)	9.5(2.3)
	1992	13.3(0.9)	16.6(1.3)	9.9(1.1)	15.0(1.1)	6.0(1.3)	12.2(2.6)
	1990	14.3(0.9)	17.3(1.7)	11.5(0.8)	16.3(1.1)	8.5(2.7)	8.2(2.1)
	1986	12.6(1.1)	13.7(1.5)	11.5(1.5)	13.4(1.4)	11.4(2.7)	7.3(2.4)
	1982	12.4(1.1)	16.4(1.6)	8.6(1.0)	13.4(1.3)	7.4(1.7)	9.0(2.2)
	1977	13.8(0.8)	17.3(1.2)	10.4(1.3)	15.0(0.9)	9.3(1.4)	11.2(2.6)
SAVING RESOURCES: INSULATION	1996	58.5(1.7)	61.4(1.6)	55.8(2.7)	61.7(1.7)	49.8(4.1)	55.7(7.1)
	1994	61.9(1.7)	66.8(2.0)	57.5(2.3)	63.2(1.6)	60.9(5.5)	53.8(3.5)
	1992	66.6(1.1)	70.4(1.3)	62.7(1.7)	69.2(1.4)	58.0(2.5)	59.8(4.5)
	1990	66.8(1.2)	71.3(1.2)	62.6(1.9)	69.6(1.4)	63.0(3.9)	56.7(4.2)
	1986	80.7(1.7)	84.7(2.4)	76.8(1.9)	81.7(2.1)	76.4(2.8)	76.8(3.2)
	1982	88.9(1.1)	89.7(1.1)	88.2(1.6)	89.2(1.3)	86.5(2.3)	90.7(1.8)
	1977	91.6(0.9)	92.9(1.1)	90.3(1.3)	93.4(1.0)	85.9(2.6)	87.3(2.4)
SAVING RESOURCES: PLANTING	1996	69.0(1.6)	70.9(2.4)	67.0(1.5)	72.8(2.1)	59.5(4.0)	58.4(2.8)
	1994	73.5(1.4)	73.3(1.5)	73.8(1.9)	78.0(1.2)	57.6(5.7)	66.1(3.1)
	1992	73.5(1.0)	73.7(1.3)	73.3(1.4)	75.9(1.2)	62.7(4.0)	67.4(2.9)
	1990	69.6(1.2)	70.5(1.6)	68.8(1.7)	72.6(1.4)	60.6(3.8)	61.2(3.0)
	1986	62.8(1.6)	65.2(1.9)	60.4(1.7)	64.9(2.0)	51.8(2.8)	61.7(4.5)
	1982	47.5(1.9)	49.7(2.6)	45.4(2.6)	47.9(2.3)	44.7(3.8)	42.1(6.7)
	1977	69.9(1.2)	70.6(1.5)	69.3(1.6)	72.0(1.1)	63.4(2.4)	55.7(9.5)
SAVING RESOURCES: THROWAWAYS	1996	65.5(1.6)	66.3(2.5)	64.7(1.7)	72.1(2.0)	47.5(4.0)	51.4(2.8)
	1994	65.0(1.4)	63.1(1.9)	66.6(1.8)	70.5(1.3)	46.5(5.2)	51.3(4.1)
	1992	69.1(1.3)	67.9(1.8)	70.3(1.5)	73.6(1.3)	47.9(3.6)	63.1(5.0)
	1990	49.5(1.4)	50.3(1.5)	48.8(1.7)	53.2(1.4)	40.9(3.7)	35.7(5.3)
	1986	47.2(1.7)	50.3(1.8)	44.1(2.4)	49.4(2.3)	38.0(2.8)	40.0(3.7)
	1982	58.7(1.2)	60.2(1.4)	57.2(1.6)	61.0(1.3)	47.3(2.9)	52.8(5.0)
	1977	54.2(1.6)	56.9(2.0)	51.5(1.8)	56.7(1.8)	39.3(3.0)	51.1(4.8)
SAVING RESOURCES: LAWNS	1996	41.1(1.8)	42.4(2.2)	39.8(1.9)	45.4(1.8)	23.0(2.3)	39.8(4.8)
	1994	41.4(1.3)	41.4(1.6)	41.3(1.8)	44.6(1.5)	33.4(3.6)	32.3(3.7)
	1992	45.6(1.5)	48.2(2.0)	43.1(1.7)	48.2(2.0)	32.3(2.8)	43.4(4.5)
	1990	42.1(1.1)	45.1(1.4)	39.2(1.6)	44.7(1.1)	31.6(3.5)	34.1(4.7)
	1986	45.5(1.4)	47.3(2.3)	43.7(2.0)	48.9(1.6)	30.7(3.8)	37.7(4.0)
	1982	63.5(2.0)	66.9(1.9)	60.1(2.4)	67.6(2.1)	42.0(2.9)	57.3(5.2)
	1977	51.0(1.3)	51.9(1.9)	50.1(2.2)	53.8(1.4)	35.2(2.9)	47.3(6.2)
PLATE TECTONICS: MOUNTAINS	1996	69.1(2.2)	73.2(2.3)	65.1(2.4)	73.2(2.3)	55.5(4.2)	63.4(3.8)
	1994	66.4(1.4)	67.8(1.5)	65.1(2.3)	68.6(1.3)	60.6(6.4)	56.7(3.9)
	1992	67.3(1.4)	68.5(1.8)	66.1(1.7)	70.2(1.6)	57.5(3.2)	55.8(3.7)
	1990	67.5(1.7)	67.8(2.7)	67.2(1.9)	71.2(1.8)	58.0(3.0)	53.4(3.2)
	1986	64.9(1.7)	67.6(2.0)	62.2(2.7)	69.1(2.0)	45.9(2.9)	54.9(5.2)
	1982	65.0(1.8)	67.6(1.9)	62.4(2.5)	67.7(1.9)	49.2(3.9)	64.7(4.6)
	1977	72.2(1.4)	71.9(1.9)	72.5(1.8)	75.5(1.4)	57.1(2.5)	59.8(7.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
PLATE TECTONICS: WEATHER	1996	55.4(2.0)	58.1(2.5)	52.8(2.2)	62.2(2.3)	35.0(3.0)	42.0(4.4)
	1994	57.1(1.7)	58.7(1.5)	55.7(2.7)	63.2(1.4)	41.7(9.2)	34.0(3.0)
	1992	59.2(1.7)	60.2(2.1)	58.2(1.9)	65.7(1.5)	29.3(3.7)	50.9(4.4)
	1990	58.6(1.6)	60.5(1.9)	56.8(2.1)	65.5(1.5)	38.2(4.3)	37.2(4.1)
	1986	53.1(1.3)	56.3(1.7)	49.9(2.1)	58.1(1.4)	31.6(2.7)	36.6(7.1)
	1982	69.0(1.7)	70.4(2.4)	67.6(2.0)	73.8(1.6)	50.3(3.7)	45.1(4.4)
	1977	55.9(1.8)	56.0(1.7)	55.8(2.2)	61.3(1.9)	34.6(2.9)	32.4(4.4)
PLATE TECTONICS: EARTHQUAKES	1996	85.9(1.2)	87.5(1.4)	84.3(1.7)	89.7(1.2)	74.5(3.9)	77.3(3.9)
	1994	84.2(1.1)	83.4(1.5)	85.0(1.4)	86.7(1.1)	75.3(4.9)	79.9(2.4)
	1992	87.0(1.1)	87.4(1.4)	86.7(1.4)	89.9(0.8)	77.2(2.8)	79.8(5.3)
	1990	87.7(1.0)	88.0(1.2)	87.4(1.2)	89.4(1.0)	82.8(2.7)	81.2(2.8)
	1986	78.9(1.3)	81.1(1.9)	76.7(1.4)	81.4(1.5)	69.2(2.5)	69.6(4.8)
	1982	82.9(0.9)	82.9(1.3)	82.8(1.4)	84.9(1.2)	72.4(3.1)	78.4(2.8)
	1977	84.1(1.1)	84.2(1.3)	84.0(1.5)	87.6(1.1)	70.3(2.9)	63.5(9.2)
PLATE TECTONICS: CONTINENTS	1996	72.7(1.7)	75.2(2.3)	70.3(1.9)	78.5(1.9)	52.2(4.2)	63.1(2.2)
	1994	72.5(1.5)	72.6(1.9)	72.4(2.0)	76.6(1.3)	60.6(6.2)	58.3(4.5)
	1992	72.9(1.5)	73.1(2.0)	72.8(1.7)	78.6(1.2)	49.4(4.1)	61.8(3.3)
	1990	73.5(1.5)	73.0(1.9)	74.0(1.7)	78.0(1.4)	58.6(4.4)	59.6(3.6)
	1986	65.8(1.2)	67.1(1.5)	64.5(1.9)	70.5(1.4)	46.1(2.8)	52.1(5.6)
	1982	64.8(1.7)	64.1(2.3)	65.6(2.1)	69.2(1.9)	42.5(3.8)	52.3(3.1)
	1977	62.5(1.8)	63.2(1.9)	61.9(2.4)	68.3(1.8)	38.2(3.6)	41.7(5.4)
PLATE TECTONICS: MOON	1996	67.5(2.0)	70.4(2.3)	64.7(2.2)	74.9(2.1)	40.8(4.3)	56.7(4.6)
	1994	68.4(1.6)	67.4(1.8)	69.4(2.4)	74.3(1.5)	52.2(7.6)	47.6(3.4)
	1992	69.0(1.6)	68.3(1.7)	69.6(1.9)	74.2(1.5)	45.9(4.9)	59.9(5.3)
	1990	68.9(1.5)	67.8(1.7)	70.0(2.0)	73.6(1.4)	53.1(4.2)	55.8(3.0)
	1986	60.0(1.6)	59.6(1.9)	60.4(2.1)	64.4(2.0)	41.4(2.5)	42.8(4.2)
	1982	78.2(1.6)	77.8(2.0)	78.5(2.0)	82.6(1.3)	58.7(2.9)	59.9(3.9)
	1977	64.6(1.8)	61.5(1.6)	67.5(2.6)	69.3(1.7)	46.7(3.0)	36.3(5.9)
PRESENT ENERGY SOURCE IN U.S.	1996	43.9(2.2)	46.5(2.5)	41.4(2.4)	48.8(2.3)	29.3(3.8)	35.5(4.7)
	1994	42.7(1.6)	44.4(1.7)	41.1(2.4)	46.8(1.8)	33.3(6.4)	22.5(3.5)
	1992	46.6(1.8)	48.5(2.5)	44.7(1.8)	50.3(2.3)	35.0(3.2)	33.1(3.5)
	1990	42.3(1.6)	46.0(2.1)	38.8(1.7)	46.7(1.5)	32.5(4.6)	21.8(3.8)
	1986	41.3(1.6)	45.5(1.9)	37.3(2.4)	44.4(1.9)	32.2(3.1)	23.2(3.3)
	1982	65.9(1.8)	67.2(2.4)	64.8(1.8)	70.5(1.5)	47.4(2.7)	50.2(6.7)
	1977	56.4(1.7)	61.6(2.1)	51.4(2.1)	61.3(2.0)	37.0(2.2)	36.8(5.1)
COMPONENTS OF SOLAR SYSTEM	1996	73.0(1.3)	72.0(1.5)	73.8(1.6)	76.3(1.4)	62.4(3.5)	64.8(3.3)
	1994	73.7(1.5)	73.1(1.8)	74.3(2.3)	76.4(1.3)	66.0(6.0)	62.9(4.2)
	1992	71.6(1.5)	72.6(1.6)	70.7(2.0)	74.4(1.6)	60.0(3.7)	62.8(3.1)
	1990	72.6(1.1)	71.5(1.4)	73.6(1.5)	75.8(1.2)	61.9(3.5)	66.8(5.3)
	1986	65.5(1.6)	67.7(2.3)	63.3(2.1)	67.7(2.0)	56.5(2.7)	59.4(5.9)
	1982	70.9(1.5)	72.1(2.1)	69.8(1.8)	73.6(1.4)	59.7(4.9)	62.5(3.9)
	1977	70.3(1.5)	71.1(2.0)	69.6(1.7)	73.9(1.6)	56.0(3.6)	55.1(4.8)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
ACCELERATION OF BALL ON RAMP	1996	57.3(1.6)	60.2(2.2)	54.5(2.1)	64.8(1.7)	31.6(3.1)	46.7(2.5)
	1994	59.7(1.5)	63.3(1.4)	56.3(2.7)	65.1(1.6)	46.2(2.9)	39.1(4.7)
	1992	61.0(1.4)	64.8(1.9)	57.2(1.7)	67.5(1.4)	35.3(3.6)	49.8(4.9)
	1990	60.3(1.3)	66.3(1.6)	54.6(1.7)	64.8(1.3)	45.4(4.0)	48.1(4.1)
	1986	59.8(1.8)	65.8(1.9)	53.7(2.4)	63.8(2.2)	46.0(3.1)	44.8(4.2)
	1982	63.3(1.7)	66.7(1.9)	60.1(2.1)	67.7(1.6)	44.1(5.0)	51.9(3.3)
	1977	64.0(1.3)	69.6(1.9)	58.5(1.4)	68.8(1.2)	41.8(2.8)	46.8(4.8)
WEATHER: WIND SPEED	1996	87.7(1.3)	87.1(1.6)	88.4(1.6)	92.1(1.1)	74.6(3.5)	79.5(4.0)
	1994	88.9(0.9)	87.6(1.2)	90.0(1.1)	92.2(1.0)	79.3(3.7)	79.1(3.0)
	1992	90.4(1.0)	90.7(1.3)	90.1(1.1)	92.6(1.1)	80.0(3.1)	89.5(3.0)
	1990	88.8(0.9)	88.0(1.3)	89.7(1.0)	92.2(0.7)	79.1(4.3)	78.5(5.0)
	1986	87.0(1.0)	87.9(1.6)	86.1(1.4)	89.7(1.1)	75.8(2.1)	79.6(4.5)
	1982	77.5(1.3)	77.4(1.6)	77.5(1.8)	80.1(1.1)	66.1(4.6)	67.0(5.0)
	1977	87.7(1.1)	86.5(1.7)	88.8(0.9)	91.4(0.7)	70.3(3.1)	80.1(4.5)
WEATHER: SUNRISE	1996	61.8(1.7)	60.7(1.6)	62.9(2.2)	64.6(1.8)	58.3(3.5)	51.0(4.4)
	1994	63.0(1.6)	59.0(2.0)	66.7(2.0)	66.4(1.7)	54.0(6.6)	49.8(3.0)
	1992	63.3(1.4)	59.8(1.7)	66.7(1.8)	65.0(1.7)	55.8(2.9)	56.7(6.4)
	1990	63.2(1.3)	58.8(1.5)	67.4(1.9)	65.9(1.4)	51.6(3.7)	58.8(3.6)
	1986	64.0(1.2)	61.6(1.5)	66.5(1.5)	65.1(1.3)	57.4(2.4)	66.2(4.5)
	1982	54.2(1.3)	53.5(1.8)	54.8(1.7)	54.7(1.5)	50.8(3.3)	55.2(6.2)
	1977	51.1(1.6)	49.8(2.0)	52.5(1.8)	52.7(1.9)	45.0(2.9)	39.5(6.0)
WEATHER: RAINFALL	1996	76.8(1.4)	78.1(1.7)	75.6(1.8)	83.0(1.3)	63.9(3.5)	58.9(2.7)
	1994	76.2(1.0)	76.0(1.3)	76.4(1.5)	80.0(1.0)	65.5(4.7)	65.5(4.5)
	1992	77.0(1.4)	78.0(1.8)	76.0(1.6)	81.2(1.6)	63.4(4.1)	59.4(5.4)
	1990	75.8(1.2)	75.1(1.5)	76.4(1.5)	79.2(1.2)	64.7(3.5)	64.8(3.4)
	1986	76.4(1.2)	77.1(1.8)	75.8(1.3)	81.3(1.3)	59.6(3.5)	59.7(5.3)
	1982	69.0(1.5)	69.3(1.9)	68.7(1.8)	72.9(1.4)	52.2(3.4)	50.8(5.3)
	1977	79.8(1.3)	79.8(1.7)	79.9(1.6)	84.1(1.1)	59.7(2.3)	70.0(5.3)
WEATHER: HUMIDITY	1996	80.1(1.5)	80.6(1.9)	79.8(1.7)	85.6(1.5)	65.4(4.2)	66.1(3.7)
	1994	82.3(1.1)	79.2(1.5)	85.1(1.6)	86.1(1.3)	72.4(4.8)	67.9(5.6)
	1992	83.0(1.0)	81.1(1.4)	84.9(1.2)	87.0(1.0)	66.1(3.2)	74.3(3.5)
	1990	83.2(1.2)	81.7(1.6)	84.6(1.2)	87.0(0.9)	70.9(4.4)	71.9(4.8)
	1986	80.0(1.1)	79.7(1.4)	80.3(2.2)	83.8(1.4)	65.2(2.8)	68.7(4.7)
	1982	68.9(1.5)	70.6(1.7)	67.3(2.1)	72.0(1.6)	56.8(3.8)	49.9(3.8)
	1977	80.6(1.0)	79.9(1.4)	81.4(1.0)	83.5(1.0)	67.9(2.2)	72.5(3.8)
WEATHER: FIRST DAY OF SPRING	1996	56.4(1.3)	56.9(1.7)	55.9(2.0)	59.0(1.6)	49.0(3.0)	51.4(2.6)
	1994	59.1(1.7)	61.9(1.9)	56.7(2.1)	61.9(2.0)	53.0(4.7)	45.5(4.4)
	1992	61.0(1.6)	62.8(2.0)	59.2(1.8)	63.8(1.7)	53.1(3.2)	48.0(6.5)
	1990	60.6(1.2)	62.3(1.6)	59.0(1.3)	63.0(1.3)	52.7(2.9)	57.5(3.2)
	1986	64.2(1.0)	64.8(1.6)	63.6(2.5)	66.6(1.2)	55.5(2.4)	56.9(3.2)
	1982	65.1(1.2)	66.3(1.6)	64.0(1.9)	66.3(1.4)	59.2(2.3)	60.8(4.8)
	1977	62.0(1.4)	64.8(1.6)	59.2(1.8)	63.4(1.4)	61.2(2.8)	41.0(7.9)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
WEATHER: AVERAGE TEMPERATURE	1996	63.3(1.5)	63.1(2.1)	63.5(1.9)	67.0(1.8)	54.4(3.8)	51.3(2.9)
	1994	62.6(1.2)	60.2(1.7)	64.7(1.5)	65.5(1.3)	56.5(3.3)	50.1(4.1)
	1992	63.7(1.3)	64.9(2.1)	62.5(1.4)	65.8(1.3)	54.7(2.5)	60.6(6.2)
	1990	60.2(1.6)	60.7(1.9)	59.7(2.0)	63.7(1.6)	50.9(3.4)	43.5(5.9)
	1986	61.0(1.6)	62.2(1.8)	59.7(2.3)	62.8(1.9)	54.8(2.8)	53.0(5.6)
	1982	54.2(1.3)	55.5(1.5)	53.0(1.7)	56.1(1.4)	48.3(3.2)	41.5(4.5)
	1977	62.2(1.3)	61.2(1.7)	63.2(1.5)	64.9(1.3)	49.9(3.3)	56.5(5.6)
COMMUNICATING ON THE MOON	1996	64.8(1.6)	72.7(1.9)	57.1(2.3)	67.6(1.5)	52.7(3.5)	62.4(4.3)
	1994	61.8(1.2)	70.5(1.5)	53.9(1.5)	65.1(1.5)	52.0(2.2)	50.5(2.9)
	1992	62.3(1.4)	68.5(1.5)	56.1(2.0)	64.7(1.6)	47.4(3.7)	63.0(3.1)
	1990	61.5(1.3)	69.9(1.8)	53.4(1.7)	63.6(1.4)	49.4(3.1)	63.9(5.2)
	1986	60.5(1.2)	67.0(2.1)	54.1(2.4)	61.8(1.5)	53.4(3.1)	55.9(6.2)
	1982	55.5(1.5)	66.4(1.3)	45.2(2.0)	57.7(1.7)	42.2(2.6)	51.2(3.0)
	1977	59.3(1.7)	66.1(2.3)	52.4(2.1)	62.8(1.7)	45.8(2.8)	37.3(4.8)
HALF-LIFE	1996	47.0(2.0)	50.0(1.9)	43.9(2.6)	47.4(2.3)	42.3(3.9)	46.5(3.9)
	1994	47.5(1.7)	49.0(1.7)	46.3(2.4)	48.4(1.8)	44.2(5.0)	44.5(5.0)
	1992	50.0(1.6)	50.5(2.0)	49.6(1.9)	49.9(1.8)	45.2(4.1)	54.0(5.0)
	1990	50.0(1.4)	50.4(1.7)	49.7(1.7)	50.1(1.5)	49.9(3.2)	49.4(6.9)
	1986	55.1(1.4)	59.7(1.7)	50.5(2.3)	56.1(1.7)	51.0(2.9)	48.6(3.2)
	1982	50.6(2.1)	54.0(2.4)	47.5(2.5)	49.7(2.5)	54.7(2.5)	53.5(4.2)
	1977	49.6(1.5)	50.3(1.8)	48.8(2.0)	51.4(1.8)	44.4(3.6)	35.9(5.4)
SPEED OF LIGHT AND SOUND	1996	18.9(1.2)	21.5(1.6)	16.2(1.6)	21.2(1.4)	10.5(2.0)	13.1(2.7)
	1994	19.3(1.4)	19.9(1.3)	18.8(2.0)	21.3(1.5)	14.0(4.5)	12.6(2.8)
	1992	20.2(1.2)	22.0(1.5)	18.5(1.4)	22.6(1.4)	10.7(2.6)	12.2(3.6)
	1990	18.5(1.1)	21.4(1.5)	15.8(1.4)	20.4(1.2)	11.5(2.0)	13.1(2.9)
	1986	14.9(1.3)	17.6(1.4)	12.4(1.8)	15.8(1.5)	10.5(1.3)	11.2(3.9)
	1977	16.7(1.3)	17.9(1.7)	15.4(1.5)	17.9(1.4)	13.0(1.8)	10.8(3.9)
ANGLE OF REFLECTION	1996	54.0(1.6)	64.4(1.8)	43.9(2.0)	57.1(1.6)	46.2(3.2)	46.1(3.9)
	1994	52.8(1.0)	59.8(1.5)	46.6(1.7)	56.6(1.5)	42.3(3.6)	41.5(4.9)
	1992	55.7(1.5)	62.2(1.9)	49.3(2.1)	58.2(1.7)	45.1(3.8)	50.4(2.9)
	1990	56.1(1.4)	64.2(1.6)	48.4(2.0)	59.8(1.4)	40.6(3.2)	51.9(4.4)
	1986	50.8(2.3)	59.9(3.6)	41.8(2.1)	51.9(2.9)	43.9(2.8)	48.9(3.6)
	1982	46.9(1.9)	55.8(2.8)	38.6(1.6)	50.5(1.9)	29.6(3.7)	38.7(5.0)
	1977	47.8(1.1)	56.0(1.8)	39.6(1.6)	51.0(1.3)	31.9(2.3)	35.8(5.4)
EARTH'S CRUST: OLDEST LAYERS	1996	48.9(1.7)	46.9(2.9)	51.0(2.1)	54.6(1.8)	27.8(2.6)	41.7(4.7)
	1994	49.9(1.4)	48.0(1.7)	51.6(2.4)	52.4(1.6)	43.6(5.8)	42.2(4.3)
	1992	50.8(1.3)	51.3(1.8)	50.3(1.8)	54.4(1.5)	35.8(2.4)	46.0(3.9)
	1990	50.7(1.5)	50.1(1.8)	51.3(2.1)	55.2(1.5)	36.5(3.9)	36.4(5.4)
	1986	46.1(1.9)	44.5(1.9)	47.7(3.5)	50.0(2.2)	31.0(2.3)	32.1(3.8)
	1977	42.6(1.5)	42.5(1.9)	42.6(1.9)	46.6(1.6)	22.9(2.3)	30.8(5.2)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
EARTH'S CRUST: CURVED LAYERS	1996	42.7(1.5)	45.6(2.3)	39.9(1.5)	44.8(2.0)	33.5(2.9)	40.5(3.2)
	1994	42.5(1.4)	45.8(1.8)	39.5(2.2)	42.5(1.7)	40.7(3.9)	45.9(4.4)
	1992	44.2(1.3)	46.2(1.8)	42.1(1.5)	45.0(1.5)	41.2(3.5)	39.7(4.8)
	1990	44.3(1.5)	44.9(1.8)	43.8(1.8)	46.0(1.6)	38.1(3.0)	39.7(4.3)
	1986	41.6(1.6)	44.2(1.7)	39.0(2.4)	42.7(1.9)	34.9(2.8)	40.2(4.0)
	1977	47.2(1.6)	50.6(1.9)	44.2(1.9)	48.9(1.7)	41.5(3.6)	35.5(3.4)
MEASURING CURRENT IN A CIRCUIT	1996	50.3(1.3)	48.4(1.5)	52.0(1.7)	49.8(1.8)	54.7(3.8)	51.6(2.1)
	1994	45.1(1.3)	41.6(1.8)	48.3(2.0)	44.6(1.4)	50.7(4.0)	38.0(3.1)
	1992	44.6(1.5)	40.0(2.1)	49.1(1.6)	45.3(1.6)	44.1(3.2)	37.3(4.6)
	1990	43.1(1.1)	40.6(1.3)	45.5(1.6)	43.0(1.3)	45.2(2.4)	39.2(3.6)
	1986	46.0(1.6)	43.9(2.5)	48.1(1.7)	46.0(1.9)	44.4(2.3)	42.3(3.6)
	1982	40.1(1.2)	40.4(1.9)	39.8(1.6)	41.3(1.3)	34.7(3.2)	43.7(5.9)
	1977	39.1(1.2)	37.0(2.2)	41.2(1.8)	39.1(1.2)	36.5(3.3)	49.2(4.2)
MOVEMENT OF HEATED WATER	1996	38.9(1.4)	43.5(2.0)	34.5(1.6)	42.6(1.7)	25.6(3.0)	31.9(2.7)
	1994	39.2(1.5)	41.7(1.4)	37.0(2.3)	43.4(1.6)	26.2(6.8)	28.1(3.8)
	1992	36.0(1.3)	38.2(2.0)	33.7(1.6)	38.0(1.5)	27.4(2.3)	28.5(3.8)
	1990	37.5(1.3)	40.4(1.4)	34.8(1.8)	41.0(1.4)	27.4(3.0)	26.8(3.4)
	1986	37.8(1.2)	44.3(1.4)	31.3(2.2)	41.3(1.6)	20.3(2.2)	34.2(3.3)
	1977	34.4(1.9)	40.9(2.7)	27.9(1.6)	38.6(2.0)	15.5(2.1)	17.0(3.9)
EFFECT OF CLEARING FORESTS	1996	34.8(1.7)	37.5(2.3)	32.2(2.2)	39.4(1.9)	21.3(2.3)	25.0(3.9)
	1994	35.1(1.3)	36.8(2.3)	33.5(1.4)	39.9(1.6)	21.3(2.7)	25.3(5.8)
	1992	34.6(1.5)	35.3(2.0)	33.9(1.7)	37.7(1.6)	24.5(3.5)	23.9(4.4)
	1990	36.1(1.3)	40.3(1.5)	32.2(1.7)	39.9(1.3)	27.1(2.9)	21.1(3.0)
	1986	36.2(1.4)	41.0(1.9)	31.5(1.8)	40.6(1.6)	21.4(1.9)	19.9(3.9)
	1982	38.6(1.4)	42.5(2.0)	34.8(1.4)	42.2(1.5)	24.0(3.0)	24.8(5.4)
	1977	44.7(1.7)	52.1(2.0)	37.3(2.3)	49.0(1.7)	26.1(3.1)	23.4(4.0)
DESCRIBING THE ROCK CYCLE	1996	32.9(1.8)	31.9(2.4)	33.8(1.9)	34.3(1.9)	30.0(4.7)	31.8(4.5)
	1994	29.7(1.1)	29.0(1.3)	30.4(1.8)	31.4(1.4)	23.9(1.9)	25.6(3.5)
	1992	30.9(1.1)	28.3(1.4)	33.5(1.5)	32.3(1.3)	26.0(3.0)	28.5(4.1)
	1990	29.6(1.2)	29.7(1.5)	29.5(1.8)	29.8(1.4)	29.8(3.0)	26.2(4.3)
	1986	29.8(1.2)	30.3(3.5)	29.4(3.1)	31.0(1.6)	24.8(2.2)	26.1(3.2)
	1982	30.0(1.7)	30.7(2.4)	29.4(2.1)	32.1(2.0)	18.6(2.1)	26.2(3.9)
	1977	31.0(1.6)	28.4(2.1)	33.7(1.5)	32.2(2.0)	26.6(2.8)	19.4(6.1)
INDUCTION OF ELECTRIC CURRENT	1996	43.9(1.7)	48.3(2.5)	39.6(1.7)	47.8(1.8)	31.9(3.0)	37.8(3.1)
	1994	45.9(1.6)	49.3(2.3)	42.8(2.2)	49.2(1.9)	38.5(3.2)	31.8(2.7)
	1992	45.9(1.5)	49.0(1.7)	42.7(2.2)	48.9(1.8)	32.2(3.6)	38.7(5.6)
	1990	44.9(1.5)	52.1(2.1)	38.0(2.0)	47.4(1.7)	38.1(3.9)	33.6(4.1)
	1986	46.2(1.8)	54.0(2.8)	38.6(1.9)	49.5(2.2)	32.0(2.6)	36.5(4.5)
	1982	34.9(1.5)	44.2(1.8)	26.3(2.0)	36.5(1.6)	28.0(2.7)	28.5(4.6)
	1977	45.0(1.7)	51.1(2.2)	39.3(1.8)	47.0(1.9)	35.7(3.0)	31.7(5.7)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
BALANCING BLOCKS ON SEESAW	1996	39.1(1.8)	50.2(2.5)	28.4(1.9)	45.7(2.1)	21.4(3.2)	19.4(3.5)
	1994	37.2(1.4)	47.2(1.9)	28.1(1.8)	42.3(1.5)	22.5(3.5)	21.0(3.3)
	1992	38.5(1.4)	47.1(2.0)	29.8(1.7)	43.7(1.7)	17.4(2.1)	27.2(3.5)
	1990	38.6(1.3)	50.6(1.8)	27.1(1.4)	43.9(1.2)	20.5(2.9)	25.3(3.5)
	1986	38.9(1.3)	45.5(1.7)	32.4(2.1)	43.8(1.6)	18.7(2.8)	28.4(3.4)
	1982	42.3(1.6)	54.0(2.1)	31.2(2.0)	46.1(1.8)	23.4(2.1)	29.1(3.3)
	1977	42.8(2.0)	52.9(2.5)	31.5(2.3)	48.2(2.1)	18.9(2.5)	21.6(2.8)
AIR MASSES OVER OCEANS	1996	23.4(1.6)	23.5(1.9)	23.4(1.9)	26.6(2.1)	14.0(1.9)	17.8(3.5)
	1994	21.3(1.2)	22.7(1.3)	20.0(1.9)	23.6(1.3)	13.0(2.6)	21.6(5.6)
	1992	20.0(1.1)	22.2(1.5)	17.9(1.4)	22.1(1.4)	13.0(2.1)	10.4(2.9)
	1990	19.1(1.3)	20.6(1.4)	17.6(1.6)	20.8(1.4)	13.2(2.0)	16.0(2.9)
	1986	18.5(1.4)	21.1(2.0)	15.9(1.9)	19.1(1.7)	15.8(2.3)	17.0(2.8)
	1977	19.0(1.0)	21.2(1.6)	17.0(1.3)	20.4(1.3)	13.8(1.2)	10.9(2.4)
PRODUCT Z: ARTHRITIS	1996	51.9(1.4)	48.2(1.8)	55.3(2.0)	58.1(1.6)	35.9(2.5)	35.8(3.4)
	1994	48.8(1.3)	47.9(1.9)	49.8(2.1)	54.5(1.2)	26.7(2.6)	36.4(3.7)
	1992	47.4(1.4)	44.7(2.1)	49.9(1.9)	53.3(1.7)	31.2(2.1)	31.4(3.1)
	1990	47.9(2.0)	44.9(2.2)	51.1(2.1)	54.6(1.8)	28.6(5.5)	30.6(3.5)
	1986	42.5(2.3)	39.9(2.8)	45.1(2.5)	47.6(2.4)	25.6(3.8)	27.9(4.0)
	1982	38.1(1.9)	38.9(2.5)	37.4(1.9)	40.6(2.0)	25.8(3.5)	29.3(5.1)
	1977	41.2(1.3)	36.2(2.0)	45.7(1.7)	44.7(1.4)	24.0(2.9)	29.6(4.3)
PRODUCT Z: HARM	1996	80.8(1.0)	78.6(1.4)	82.8(1.5)	84.2(1.4)	72.9(2.3)	71.2(3.0)
	1994	81.7(0.9)	79.3(1.3)	84.2(1.3)	84.5(1.0)	72.9(3.2)	72.6(4.0)
	1992	85.1(0.9)	85.1(1.2)	85.1(1.2)	88.2(1.0)	76.5(2.6)	77.4(3.4)
	1990	80.7(1.4)	78.4(1.9)	83.1(1.4)	86.3(1.1)	59.7(4.8)	73.7(3.0)
	1986	81.5(1.4)	79.1(2.0)	83.7(1.4)	84.6(1.6)	67.0(3.3)	77.2(4.1)
	1982	85.1(1.3)	81.5(2.1)	88.6(1.2)	87.5(1.6)	73.4(3.1)	77.3(5.8)
	1977	77.5(1.4)	75.5(1.8)	79.4(1.5)	81.4(1.5)	58.3(2.5)	65.8(4.5)
PRODUCT Z: PAIN RELIEF	1996	83.7(1.3)	82.1(1.7)	85.1(1.5)	86.8(1.3)	76.5(3.4)	74.2(2.7)
	1994	86.1(0.9)	83.5(1.5)	88.7(1.1)	87.8(0.9)	81.4(3.6)	82.7(2.3)
	1992	87.3(0.7)	84.5(1.0)	89.9(1.0)	90.7(0.7)	79.0(2.3)	74.9(2.9)
	1990	83.9(1.2)	82.5(1.5)	85.4(1.5)	87.4(0.9)	75.6(5.4)	72.3(4.2)
	1986	85.3(1.0)	82.4(1.7)	88.3(1.2)	87.4(1.1)	76.4(2.5)	81.8(2.8)
	1982	82.7(1.2)	80.9(1.6)	84.4(1.4)	84.8(1.5)	72.7(2.5)	76.4(3.4)
	1977	80.9(1.1)	78.3(2.0)	83.3(1.1)	84.7(1.0)	63.6(2.4)	67.8(4.6)
PRODUCT Z: FEEL BETTER	1996	82.6(1.1)	79.6(1.5)	85.3(1.4)	87.0(1.1)	68.9(2.3)	76.3(2.8)
	1994	84.4(1.2)	81.8(1.7)	87.0(1.4)	87.5(1.2)	71.3(3.5)	76.0(5.4)
	1992	86.1(0.9)	83.6(1.3)	88.5(1.0)	90.1(0.9)	75.5(3.2)	75.1(3.0)
	1990	81.7(1.4)	79.8(1.9)	83.6(1.5)	86.9(1.2)	63.7(4.2)	70.6(3.1)
	1986	83.5(1.2)	80.9(1.7)	86.0(1.3)	87.5(1.0)	65.5(4.0)	76.3(2.4)
	1982	83.1(1.4)	81.0(1.8)	85.2(1.3)	86.6(1.3)	68.6(4.1)	69.6(4.8)
	1977	76.4(1.6)	73.7(2.3)	78.8(1.5)	81.0(1.5)	56.5(3.1)	56.7(5.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
USE OF CONTROLS IN EXPERIMENTS	1996	68.5(1.2)	63.8(1.8)	72.9(1.3)	71.7(1.6)	60.3(3.3)	64.7(3.0)
	1994	68.2(1.4)	65.3(1.9)	71.1(1.6)	70.2(1.6)	59.4(2.5)	71.4(3.8)
	1992	70.3(0.9)	66.4(1.4)	73.9(1.5)	72.4(1.1)	65.1(2.7)	64.2(3.6)
	1990	70.1(1.5)	67.6(1.7)	72.8(1.6)	73.0(1.6)	62.3(4.2)	62.9(3.4)
	1986	71.2(1.4)	69.4(1.9)	73.1(1.7)	73.3(1.7)	64.6(2.4)	64.5(4.3)
	1977	71.1(1.2)	69.5(1.6)	72.8(1.6)	73.8(1.4)	58.0(2.2)	66.2(5.7)
USING A BRANCHING KEY: SHAPE	1996	74.5(1.2)	75.3(1.5)	73.8(1.4)	78.3(1.2)	63.8(2.5)	66.7(4.7)
	1994	77.6(1.1)	76.5(1.6)	78.7(1.5)	80.3(1.2)	63.4(3.2)	74.2(5.3)
	1992	75.6(1.0)	73.8(1.6)	77.2(1.4)	79.8(1.1)	64.7(2.8)	62.4(4.5)
	1990	70.8(1.5)	69.0(1.8)	72.7(1.8)	75.4(1.4)	54.1(4.9)	62.5(3.1)
	1986	69.5(1.3)	66.9(2.6)	72.0(1.4)	73.8(1.5)	53.6(3.0)	54.5(3.9)
	1982	70.8(1.2)	69.5(1.5)	72.0(1.6)	72.6(1.3)	62.2(2.9)	63.0(5.8)
	1977	67.0(1.6)	64.9(1.9)	69.0(1.9)	70.2(1.4)	57.9(3.7)	43.3(6.4)
USING A BRANCHING KEY: COLOR	1996	44.2(1.5)	44.6(2.1)	43.9(2.2)	46.2(1.9)	37.2(3.3)	40.6(3.2)
	1994	45.0(1.3)	42.8(1.8)	47.2(2.0)	46.7(1.5)	35.4(3.6)	44.1(4.2)
	1992	44.4(1.4)	44.2(1.6)	44.6(1.7)	45.5(1.6)	42.3(3.2)	39.7(3.0)
	1990	43.9(1.5)	44.2(2.0)	43.7(1.9)	47.7(1.5)	31.0(3.6)	37.4(3.8)
	1986	40.4(1.6)	40.3(1.8)	40.6(2.1)	42.3(2.1)	31.3(2.3)	40.2(3.4)
	1982	39.3(1.3)	38.1(1.5)	40.4(1.8)	41.8(1.3)	30.9(2.4)	28.3(5.7)
	1977	34.6(1.5)	33.6(1.9)	35.6(1.5)	37.6(1.5)	22.0(3.1)	22.2(4.3)
READING A PRESSURE GAUGE	1996	74.6(1.1)	78.2(1.7)	71.3(1.5)	78.8(1.4)	63.7(3.6)	60.7(3.2)
	1994	74.0(1.2)	77.1(2.1)	70.9(1.7)	76.3(1.5)	60.2(3.2)	67.1(5.6)
	1992	72.5(1.0)	72.9(1.6)	72.1(1.3)	75.7(1.2)	59.0(2.3)	68.6(2.6)
	1990	71.1(1.4)	74.1(1.9)	67.9(1.8)	75.2(1.4)	58.3(3.6)	60.3(3.8)
	1986	66.7(1.2)	71.6(1.7)	61.8(2.7)	69.9(1.7)	53.7(2.1)	59.8(3.8)
	1982	61.6(1.3)	65.4(2.1)	57.8(1.8)	64.6(1.6)	48.3(3.2)	47.1(3.6)
	1977	57.0(1.9)	62.4(2.0)	51.7(2.4)	59.9(1.9)	43.7(4.2)	44.7(5.3)
ESTIMATING LENGTH OF A LINE	1996	60.6(1.5)	61.6(2.1)	59.6(1.9)	63.0(1.7)	53.4(2.7)	56.7(3.9)
	1994	62.7(1.1)	64.8(1.7)	60.4(1.9)	64.3(1.3)	52.5(4.1)	58.8(3.2)
	1992	62.8(1.2)	66.0(1.7)	59.8(1.3)	64.0(1.4)	62.1(3.1)	55.3(3.5)
	1990	58.4(1.3)	60.5(1.9)	56.2(1.6)	60.6(1.5)	53.2(4.3)	50.9(4.8)
	1986	62.4(1.4)	65.3(2.0)	59.6(2.4)	64.6(1.7)	55.5(3.6)	53.0(3.3)
	1982	63.6(1.9)	67.3(3.0)	60.2(1.5)	65.4(2.1)	52.3(3.5)	65.2(6.3)
	1977	51.7(1.7)	54.3(1.8)	49.2(2.6)	54.4(1.8)	43.1(3.2)	39.2(5.3)
RAIN AND CORN GROWTH	1996	58.8(1.4)	61.5(2.1)	56.3(2.1)	60.7(1.6)	51.9(2.4)	58.1(3.5)
	1994	58.0(1.6)	60.3(2.3)	55.7(1.6)	61.2(2.0)	47.3(4.0)	49.6(3.6)
	1992	56.3(1.3)	57.8(1.9)	54.9(1.6)	58.9(1.6)	49.8(3.3)	47.9(3.1)
	1990	57.3(1.6)	59.6(2.0)	54.9(1.9)	58.0(2.0)	57.0(3.5)	51.3(3.2)
	1986	57.7(1.1)	59.0(2.0)	56.5(1.6)	58.4(1.5)	52.6(2.6)	56.5(5.2)
	1982	60.7(2.2)	62.3(2.4)	59.2(2.6)	63.3(2.5)	47.1(2.9)	53.4(5.2)
	1977	55.5(1.1)	55.2(1.7)	55.8(1.6)	57.6(1.1)	47.9(2.6)	44.2(5.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
FOOD SHORTAGE: BIRTH RATE	1996	65.3(1.2)	65.5(2.2)	65.1(1.7)	66.0(1.5)	64.0(3.1)	64.1(2.9)
	1994	64.8(2.0)	65.8(2.7)	63.7(1.9)	67.4(2.2)	55.8(3.9)	59.1(3.8)
	1992	67.0(1.1)	65.5(1.4)	68.4(1.4)	68.7(1.2)	62.2(2.9)	59.8(3.7)
	1990	64.3(1.4)	62.9(2.0)	65.8(1.5)	67.0(1.6)	58.3(4.4)	56.9(2.9)
	1986	66.4(2.4)	66.1(3.5)	66.7(2.0)	69.5(2.9)	54.5(1.9)	56.6(3.5)
	1982	68.8(1.4)	66.1(2.0)	71.4(1.8)	72.0(1.6)	53.5(3.3)	57.0(4.5)
	1977	70.8(1.1)	69.2(1.5)	72.4(1.5)	74.7(1.0)	54.7(2.7)	49.5(6.3)
FOOD SHORTAGE: AMOUNT OF FOOD	1996	92.3(0.7)	92.2(1.1)	92.4(1.0)	94.8(0.5)	87.7(2.4)	86.1(2.2)
	1994	91.5(0.9)	90.0(1.3)	93.0(0.8)	94.6(0.7)	79.3(2.5)	87.0(3.4)
	1992	92.6(0.6)	92.2(1.0)	93.0(0.9)	94.8(0.7)	87.0(1.9)	88.3(2.7)
	1990	90.7(1.0)	89.1(1.4)	92.3(1.0)	93.9(0.8)	83.2(3.1)	78.5(4.4)
	1986	89.0(0.7)	89.3(1.1)	88.6(1.1)	91.5(0.8)	78.9(2.8)	82.4(3.4)
	1982	87.0(1.0)	86.8(1.1)	87.1(1.3)	90.0(1.2)	72.5(3.4)	77.6(2.5)
	1977	89.7(0.9)	89.5(1.1)	89.8(1.1)	93.0(0.8)	71.4(3.1)	88.6(3.0)
FOOD SHORTAGE: MARKETS	1996	58.3(1.9)	58.7(1.8)	58.0(2.9)	63.7(1.9)	43.9(2.5)	46.6(3.2)
	1994	61.0(1.5)	59.2(1.9)	62.9(2.1)	64.6(1.6)	48.8(4.4)	51.2(7.7)
	1992	57.7(1.5)	58.5(1.7)	57.0(2.2)	62.8(1.6)	39.2(3.3)	48.6(2.7)
	1990	56.3(1.4)	55.1(2.0)	57.7(1.9)	61.9(1.2)	40.2(5.2)	39.1(2.9)
	1986	59.9(1.6)	62.3(2.1)	57.5(2.0)	64.3(1.8)	40.2(3.1)	52.9(4.4)
	1982	61.5(1.9)	65.4(2.7)	57.8(2.0)	66.5(2.0)	37.7(2.4)	47.7(3.2)
	1977	57.7(1.7)	58.6(2.2)	56.9(2.1)	62.9(1.6)	36.5(3.3)	33.1(6.2)
FOOD SHORTAGE: WEATHER	1996	54.3(1.2)	55.6(1.8)	53.1(1.7)	57.3(1.4)	42.2(3.8)	47.5(4.2)
	1994	54.7(2.3)	55.3(2.8)	54.1(2.4)	57.0(2.9)	41.9(2.7)	46.9(4.1)
	1992	57.5(1.1)	56.7(1.6)	58.3(1.2)	60.6(1.3)	49.2(2.9)	48.5(3.5)
	1990	57.3(1.6)	55.3(1.9)	59.4(1.9)	60.3(1.9)	48.0(2.3)	49.3(5.0)
	1986	56.1(2.3)	57.5(2.6)	54.6(2.7)	58.0(2.7)	48.7(3.9)	49.9(4.5)
	1982	52.1(1.4)	52.3(2.3)	51.8(1.9)	53.9(1.5)	43.2(3.3)	44.3(2.6)
	1977	59.2(1.3)	62.0(1.5)	56.4(1.6)	61.5(1.2)	44.7(2.8)	57.1(5.1)
PREDICTING SNOWFALL	1996	63.1(1.4)	65.8(1.6)	60.6(1.9)	67.4(1.6)	53.9(3.8)	49.4(4.2)
	1994	66.1(1.0)	64.7(1.8)	67.5(1.5)	70.0(1.2)	52.4(3.1)	62.8(4.4)
	1992	64.5(1.3)	65.9(1.6)	63.2(2.0)	68.6(1.4)	52.7(2.8)	53.7(2.7)
	1990	61.8(1.5)	62.5(1.7)	61.1(2.1)	65.7(1.5)	44.7(3.7)	59.0(4.2)
	1986	61.9(2.3)	61.9(2.6)	61.8(2.5)	67.4(2.7)	40.5(3.9)	47.9(4.9)
	1977	47.6(1.6)	47.0(2.2)	48.2(1.6)	49.9(1.8)	39.3(4.7)	34.2(4.6)
LAB BALANCE: COLOR OF ROCK	1996	86.3(0.9)	86.4(1.5)	86.2(1.3)	90.4(0.7)	75.9(3.0)	72.4(3.7)
	1994	83.4(1.3)	81.8(1.3)	85.1(1.9)	87.2(0.9)	68.8(5.9)	75.6(4.4)
	1992	82.5(1.0)	80.5(1.5)	84.3(1.3)	86.5(1.0)	70.9(2.9)	71.6(4.2)
	1990	82.3(1.6)	80.0(2.0)	84.6(1.6)	85.2(1.1)	73.0(6.1)	74.0(2.7)
	1986	81.3(1.2)	78.5(1.7)	84.2(1.8)	85.0(1.4)	70.0(2.6)	66.5(4.4)
	1982	74.9(1.4)	73.9(2.3)	75.8(1.7)	78.7(1.5)	59.5(4.3)	60.0(3.6)
	1977	59.6(1.8)	57.1(1.9)	62.0(2.7)	63.2(1.9)	43.5(3.2)	41.2(5.0)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
LAB BALANCE: ACCURACY	1996	61.9(1.3)	62.8(2.0)	61.1(1.8)	66.5(1.1)	52.1(3.3)	48.0(2.9)
	1994	61.1(1.3)	61.5(1.6)	60.7(2.0)	64.5(1.5)	54.1(2.7)	50.0(6.1)
	1992	61.3(1.4)	61.1(1.8)	61.5(1.9)	64.1(1.7)	55.3(3.1)	48.5(3.6)
	1990	57.4(1.5)	58.1(1.7)	56.8(2.3)	59.0(1.5)	51.5(5.8)	53.9(3.9)
	1986	56.9(2.4)	56.5(2.2)	57.3(3.2)	60.1(2.9)	45.6(2.0)	48.0(8.5)
	1982	56.3(0.8)	58.1(1.6)	54.5(1.5)	58.1(1.1)	46.4(4.1)	52.4(3.1)
	1977	54.4(1.6)	53.9(1.9)	54.9(2.1)	56.7(1.7)	47.6(3.1)	36.4(6.4)
LAB BALANCE: GRAMS/OUNCES	1996	43.4(1.2)	43.4(1.6)	43.5(1.6)	45.9(1.6)	37.0(2.8)	35.3(2.9)
	1994	40.8(1.3)	41.0(1.9)	40.6(1.6)	41.3(1.4)	43.9(3.9)	36.1(3.6)
	1992	43.9(1.2)	43.3(1.4)	44.5(1.7)	44.8(1.4)	38.5(3.4)	42.2(3.7)
	1990	41.0(1.3)	41.3(1.6)	40.7(2.0)	41.7(1.6)	37.8(3.5)	39.1(3.3)
	1986	43.3(2.2)	41.8(2.2)	44.9(3.0)	44.4(2.8)	40.4(3.0)	37.5(4.1)
	1982	41.3(1.6)	43.6(2.1)	39.1(2.0)	42.2(1.7)	37.2(4.3)	37.5(5.4)
	1977	39.6(1.2)	39.1(1.5)	40.1(1.6)	40.4(1.2)	34.6(2.7)	35.6(5.8)
HUMAN ERROR IN MEASURING TIME	1996	53.7(1.7)	59.0(1.8)	48.8(2.3)	57.4(1.8)	43.4(3.8)	46.6(2.8)
	1994	53.3(1.7)	58.2(1.8)	48.2(1.9)	55.5(2.0)	42.6(2.9)	48.8(5.5)
	1992	52.6(1.4)	56.3(1.9)	49.2(2.0)	55.8(1.7)	43.9(3.2)	43.4(3.3)
	1990	52.7(1.8)	57.7(2.0)	47.4(2.1)	54.0(2.0)	47.2(5.5)	48.3(2.9)
	1986	57.1(2.5)	58.9(2.1)	55.3(3.7)	60.8(3.0)	41.3(4.0)	48.9(3.9)
	1982	48.6(1.7)	54.1(2.1)	43.4(1.8)	49.5(1.7)	43.3(5.2)	42.5(4.7)
	1977	58.5(1.6)	63.2(1.9)	54.1(2.1)	61.4(1.9)	45.0(3.0)	48.0(7.5)
VOLUME EQUATION	1996	61.7(1.3)	58.7(2.1)	64.4(1.8)	64.9(1.5)	55.1(3.3)	51.1(4.1)
	1994	62.3(1.4)	57.9(2.4)	66.8(1.5)	66.3(1.7)	50.6(3.5)	42.8(4.7)
	1992	58.6(1.5)	54.9(1.7)	62.1(2.0)	61.3(1.8)	52.5(2.8)	46.6(3.7)
	1990	57.1(2.2)	53.8(2.7)	60.7(2.4)	60.4(2.1)	50.5(6.8)	41.2(4.1)
	1986	55.3(1.9)	51.9(2.4)	58.7(2.2)	58.4(2.3)	42.8(4.5)	42.5(5.7)
	1982	45.3(1.8)	44.7(2.2)	45.8(1.9)	48.0(2.2)	33.0(3.1)	31.5(2.6)
	1977	33.1(1.7)	30.1(1.5)	35.8(2.7)	36.0(2.0)	19.0(2.1)	21.9(3.5)
MEASUREMENT ERROR: SPEEDOMETER	1996	32.2(1.3)	36.5(1.5)	28.2(2.0)	29.2(1.7)	37.9(3.5)	38.7(2.8)
	1994	33.5(1.0)	40.1(1.8)	26.8(1.6)	32.4(1.0)	38.4(3.3)	35.3(4.6)
	1992	35.8(1.2)	41.2(1.7)	30.8(1.6)	34.4(1.4)	42.6(3.2)	36.7(3.1)
	1990	36.8(1.5)	40.3(2.0)	33.1(1.8)	34.3(1.3)	51.8(6.0)	28.9(4.4)
	1986	34.3(1.0)	40.9(1.8)	27.9(1.5)	31.0(1.3)	45.7(2.2)	41.0(3.1)
	1982	40.7(2.2)	45.2(2.6)	36.6(2.4)	37.5(2.2)	59.4(4.1)	38.8(6.0)
	1977	44.3(1.7)	50.4(2.3)	38.3(2.1)	41.2(2.0)	59.1(1.9)	50.8(5.9)
MEASUREMENT ERROR: TAPEMEASURE	1996	48.7(1.2)	44.3(1.7)	52.7(1.8)	50.2(1.6)	47.0(2.9)	41.8(2.4)
	1994	49.7(1.7)	46.3(1.9)	53.1(1.9)	50.7(2.0)	43.5(4.3)	46.4(4.7)
	1992	46.2(0.9)	42.4(1.6)	49.8(1.4)	47.1(1.2)	44.9(3.5)	38.9(2.9)
	1990	46.4(1.4)	44.5(1.7)	48.4(2.1)	47.7(1.2)	42.2(6.0)	40.7(3.7)
	1986	46.3(1.6)	45.5(1.9)	47.1(2.2)	45.8(1.9)	48.7(2.8)	45.7(4.1)
	1982	43.9(1.4)	40.5(2.2)	47.1(1.8)	45.2(1.4)	36.9(2.7)	42.3(5.2)
	1977	46.0(1.2)	43.6(1.3)	48.3(2.0)	47.2(1.5)	40.6(2.7)	42.5(5.1)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
MEASUREMENT ERROR: COMPUTER	1996	22.1(1.0)	20.7(1.5)	23.3(1.5)	18.8(1.3)	28.1(2.8)	29.7(2.9)
	1994	21.3(1.0)	21.2(2.0)	21.4(1.4)	18.2(1.2)	36.3(2.4)	25.6(2.7)
	1992	22.3(1.1)	20.1(1.4)	24.3(1.5)	20.2(1.2)	27.8(2.7)	26.8(3.8)
	1990	24.6(1.2)	24.2(1.6)	25.1(1.4)	20.3(1.2)	41.8(3.5)	27.2(3.3)
	1986	24.5(1.3)	25.6(1.9)	23.5(1.9)	21.4(1.8)	35.8(2.8)	34.9(4.2)
	1982	28.6(1.6)	33.3(2.1)	24.3(2.0)	25.6(1.5)	44.0(3.5)	30.2(5.4)
	1977	31.6(1.7)	33.0(2.3)	30.2(1.8)	28.7(1.8)	42.8(2.9)	41.5(4.9)
MEANING OF 20% CHANCE OF RAIN	1996	22.0(1.3)	26.2(2.1)	18.2(1.3)	23.8(1.7)	16.1(3.1)	17.2(2.8)
	1994	22.4(1.1)	25.4(1.8)	19.4(1.2)	24.0(1.4)	13.6(2.8)	22.0(6.2)
	1992	23.8(1.3)	24.4(1.3)	23.1(1.9)	26.7(1.6)	15.2(2.5)	15.3(2.8)
	1990	21.5(1.1)	24.7(1.7)	18.0(1.2)	22.2(1.1)	21.5(4.7)	18.2(2.3)
	1986	19.6(0.9)	20.6(1.3)	18.7(1.5)	21.4(1.2)	15.8(3.1)	9.7(2.1)
	1982	15.7(1.3)	19.6(1.7)	12.1(1.7)	16.1(1.7)	14.0(2.5)	14.1(1.5)
	1977	14.2(0.9)	16.0(1.3)	12.5(1.3)	15.6(1.2)	9.2(1.6)	7.1(1.7)
SEASONAL RAINFALL GRAPH	1996	40.1(1.3)	40.2(1.8)	40.0(1.8)	44.5(1.7)	28.2(2.5)	30.8(2.6)
	1994	37.3(1.2)	37.7(1.7)	36.9(2.3)	39.4(1.5)	28.8(3.3)	31.9(3.0)
	1992	39.8(1.4)	41.1(1.6)	38.6(1.8)	42.9(1.6)	30.7(3.8)	29.5(3.3)
	1990	38.4(1.7)	42.1(2.2)	34.4(1.7)	42.6(2.0)	23.2(3.2)	32.2(3.4)
	1986	36.0(1.9)	39.5(2.9)	32.6(1.8)	38.0(2.3)	30.5(2.7)	27.0(4.5)
	1977	32.5(1.7)	35.1(2.0)	30.0(2.1)	34.2(1.8)	27.5(3.0)	20.3(4.9)
MOLD GROWTH EXPERIMENT	1996	21.6(1.5)	22.8(1.7)	20.6(2.2)	24.8(1.9)	12.3(2.4)	14.5(2.3)
	1994	23.3(1.2)	24.4(1.4)	22.3(1.6)	24.9(1.3)	14.0(2.2)	19.7(2.6)
	1992	21.9(1.0)	24.6(1.5)	19.4(1.3)	25.6(1.2)	12.7(2.0)	9.7(1.8)
	1990	21.0(1.4)	23.8(1.8)	18.0(1.4)	22.8(1.7)	18.0(3.2)	10.1(2.1)
	1986	20.0(1.3)	20.9(1.6)	19.2(1.5)	21.7(1.5)	14.2(1.4)	15.2(3.4)
	1982	23.4(1.1)	23.8(1.5)	23.1(1.8)	24.7(1.3)	17.1(2.6)	18.7(3.5)
	1977	28.9(1.2)	29.4(1.8)	28.4(1.3)	31.9(1.5)	15.2(2.2)	15.7(4.2)
INVENTION OF TELEPHONE	1996	55.0(1.4)	62.0(1.5)	48.6(2.4)	58.4(1.4)	44.0(3.2)	49.9(3.5)
	1994	54.9(1.4)	60.9(1.7)	48.8(1.7)	58.1(1.8)	42.3(4.3)	50.6(3.0)
	1992	55.0(1.6)	59.7(2.1)	50.6(2.3)	59.8(2.0)	41.5(2.5)	46.9(2.9)
	1990	52.9(1.7)	59.4(2.2)	46.0(2.0)	58.0(1.7)	36.4(5.3)	44.8(4.7)
	1986	49.6(1.5)	58.4(2.3)	40.9(1.7)	52.6(1.6)	38.6(2.9)	36.7(4.1)
	1977	49.0(1.4)	55.5(1.5)	42.7(1.8)	51.6(1.3)	37.1(4.1)	41.5(4.7)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9